



WinnForum Extension to AFC System (SUT) Compliance Test Plan

Document WINNF-TS-4007

Version V1.0.0

23 March 2023



TERMS, CONDITIONS & NOTICES

This document has been prepared by the 6 GHz Test and Certification WG to assist The Software Defined Radio Forum Inc. (or its successors or assigns, hereafter “the Forum”). It may be amended or withdrawn at a later time and it is not binding on any member of the Forum or of the 6 GHz Committee Test and Certification WG.

Contributors to this document that have submitted copyrighted materials (the Submission) to the Forum for use in this document retain copyright ownership of their original work, while at the same time granting the Forum a non-exclusive, irrevocable, worldwide, perpetual, royalty-free license under the Submitter’s copyrights in the Submission to reproduce, distribute, publish, display, perform, and create derivative works of the Submission based on that original work for the purpose of developing this document under the Forum's own copyright.

Permission is granted to the Forum’s participants to copy any portion of this document for legitimate purposes of the Forum. Copying for monetary gain or for other non-Forum related purposes is prohibited.

The Forum draws attention to the fact that it is claimed that compliance with this specification may involve the use of a patent ("IPR") concerning [section of Specification]. The Forum takes no position concerning the evidence, validity or scope of this IPR.

Attention is also drawn to the possibility that the Forum shall not be responsible for identifying any or all such IPR.

THIS DOCUMENT IS BEING OFFERED WITHOUT ANY WARRANTY WHATSOEVER, AND IN PARTICULAR, ANY WARRANTY OF NON-INFRINGEMENT IS EXPRESSLY DISCLAIMED. ANY USE OF THIS SPECIFICATION SHALL BE MADE ENTIRELY AT THE IMPLEMENTER'S OWN RISK, AND NEITHER THE FORUM, NOR ANY OF ITS MEMBERS OR SUBMITTERS, SHALL HAVE ANY LIABILITY WHATSOEVER TO ANY IMPLEMENTER OR THIRD PARTY FOR ANY DAMAGES OF ANY NATURE WHATSOEVER, DIRECTLY OR INDIRECTLY, ARISING FROM THE USE OF THIS DOCUMENT.

Recipients of this document are requested to submit, with their comments, notification of any relevant patent claims or other intellectual property rights of which they may be aware that might be infringed by any implementation of the specification set forth in this document, and to provide supporting documentation.

This document was developed following the Forum's policy on restricted or controlled information (Policy 009) to ensure that that the document can be shared openly with other member organizations around the world. Additional Information on this policy can be found here: http://www.wirelessinnovation.org/page/Policies_and_Procedures



**6GHz Committee Test and Certification WG / AFC Test Program Development TG
WinnForum Extension to WFA AFC System (SUT) Compliance Test Plan
WINNF-TS-4007-V1.0.0**



Although this document contains no restricted or controlled information, the specific implementation of concepts contain herein may be controlled under the laws of the country of origin for that implementation. Readers are encouraged, therefore, to consult with a cognizant authority prior to any further development.

Wireless Innovation Forum TM and SDR Forum TM are trademarks of the Software Defined Radio Forum Inc.

Table of Contents

TERMS, CONDITIONS & NOTICES	i
Table of Contents	iii
Contributors	v
1 Scope	1
2 References	1
2.1 Normative References	1
2.2 Informative References	2
3 Definitions, Abbreviations and Symbols	2
3.1 Definitions	2
3.2 Abbreviations	3
4 General Principles of Certification Test Cases	3
4.1 Test Case Classification	3
4.2 Test Triggers	3
4.3 Test Tools Required	4
4.4 Prerequisites	4
4.5 Assumptions in Test Vectors	5
5 Extensions to Test Cases and Test Vectors	5
5.1 Extensions to Definition of Test Case and Test Vector ID	5
5.2 Test Cases and Test Vectors for NRU1 Feature (Conditional)	6
Annex A (Informative): Document History	7

List of Tables

Table 5.3-1: Test Tools Required	4
Table 5.4-1: Minimum Mandatory Test Cases and Test Vector IDs	4
Table 5.5-1: Implementation Assumptions for Test Vector Development	5
Table 6.1-1: <i>FeatureName</i> IDs	6
Table 6.2-1: Test Cases and Test Vectors for NRU1 Feature	6

Contributors

The following individuals made significant contributions to this document:

Work Group Chair: Mark Gibson (CommScope)

Task Group Chair: Masoud Olfat (Federated Wireless)

Editor: Sho Furuichi (Sony)

Other Member Representatives:

- Baylor University: Austin Egbert
- NCTA: Andy Scott
- Nokia :Navin Hathiramani

WinnForum Extension to AFC System (SUT) Compliance Test Plan

1 Scope

The scope of this document is to specify extensions to test procedures specified in the Wi-Fi Alliance AFC System (SUT) Compliance Test Plan [n.1] (hereinafter “WFA SUT document”), including the test plan that covers non-Wi-Fi specific features, for which an AFC System Operator can use to demonstrate conformance of its AFC System with the requirements defined in WINNF-TS-1014 [n.2] during thorough testing in a controlled environment (e.g. lab testing) as part of the FCC certification test.

The extension tests procedures specified in this document includes protocol and functional tests necessary to ensure the AFC System complies with the technology-neutral and technology-specific requirements, optional AFC System features specified in WINNF-TS-1014 [n.2] and WINNF-TS-3007 [n.3].

This specification only covers the test cases for AFC System, and proprietary tests performed by prospective AFC System Operators and the test and certification procedures for Standard Power Devices or other devices (e.g., Proxy) are out of the scope of this specification.

NOTE: Compliance with the test procedures specified in this document does not imply an AFC System is compliant with the FCC Part 15 Subpart E rules [n.4], since not all FCC rules are captured as requirements in WINNF-TS-1014 and test cases for some FCC rules are not specified in this document. WINNF-6GHZ-0002 [i.1] provides the traceability matrix that creates mapping between requirements and Test Vectors and shows whether a requirement is required to be tested, asserted or has no test requirement.

The key words "required", "shall", "shall not", "should", "should not", "recommended", "may", and "optional" in this document are to be interpreted as described in RFC-2119 [n.5]. In addition, the key word “conditional” shall be interpreted to mean that the definition is an absolute requirement of this specification only if the stated condition is met.

2 References

2.1 Normative References

The following referenced documents are necessary for the application of the present document.

- [n.1] Wi-Fi Alliance AFC System (SUT) Compliance Test Plan V1.3, available at: https://www.wi-fi.org/downloads-registered-guest/AFC_Specifications_and_Test_Plans_01232023.zip/38132
- [n.2] WINNF-TS-1014, “Functional Requirements for the U.S. 6 GHz Band under the Control of an AFC System”, Wireless Innovation Forum

- [n.3] WINNF-TS-3007, “Signaling Protocols and Procedures for 6 GHz Band; AFC System - Standard Power Device Interface Technical Specification (Baseline)”, Wireless Innovation Forum
- [n.4] Title 47, Code of Federal Regulations, Part 15 Subpart E - Unlicensed National Information Infrastructure Devices, available at:
<https://ecfr.federalregister.gov/current/title-47/chapter-I/subchapter-A/part-15/subpart-E>
- [n.5] RFC-2119, “Key words for use in RFCs to Indicate Requirement Levels”, March 1997. Available at: <https://tools.ietf.org/html/rfc2119>
- [n.6] Wi-Fi Alliance AFC System to AFC Device Interface Specification, available at: <https://www.wi-fi.org/file/afc-system-to-afc-device-interface-specification>
- [n.7] Wi-Fi Alliance AFC System (SUT) Compliance Test Vector Requests V1.0, available at: https://www.wi-fi.org/downloads-registered-guest/AFC_Specifications_and_Test_Plans_01232023.zip/38132
- [n.8] Reserved
- [n.9] WINNF-6GHZ-000x, “WinnForum Extension to AFC System (SUT) Compliance Test Vectors”, Wireless Innovation Forum

2.2 Informative References

The following referenced documents are not necessary for the application of the present document, but they assist the reader with regard to a particular subject area.

- [i.1] WINNF-6GHZ-0002, “6 GHz Traceability Matrix”, Wireless Innovation Forum
- [i.2] WINNF-RC-4009, “Endorsement of Wi-Fi Alliance AFC System (SUT) Compliance Test Plan and Test Vectors”, Wireless Innovation Forum

3 Definitions, Abbreviations and Symbols

3.1 Definitions

For the purposes of the present document, the definitions given in WINNF-TS-1014 [n.2] and WINNF-TS-3007 [n.3] and the following apply.

AFC System Unit Under Test: An AFC System to which the sequence of steps listed in the test procedures is applied.

Test Harness: A collection of routines that can be configured by the test operator to interact with the AFC System UUT and emulates messages that would be generated by one Standard Power Device or a Proxy representing one or more Standard Power Devices for the purpose of the test procedures.

Test Vector: A set of a pair of request message and an expected response message.

3.2 Abbreviations

For the purposes of the present document, the abbreviations given in WINNF-TS-1014 [n.2] and WINNF-TS-3007 [n.3] and the following apply.

TV	Test Vector
UUT	Unit Under Test

4 General Principles of Certification Test Cases

4.1 Test Case Classification

The test cases specified in this document are classified in two classes as follows:

- **Protocol Test (PT):** Test to validate the conformance of the protocol implementation in the AFC System UUT to the technical specifications developed by the WinnForum
- **Functional Test (FT):** Test to validate the conformance of the functionalities implemented in the AFC System UUT to the requirements developed by the WinnForum

4.2 Test Triggers

The test cases specified in this document are applicable to the following AFC Systems.

- a. An AFC System that implements both WINNF-TS-1014 [n.2] and the Wi-Fi Alliance AFC System to AFC Device Interface Technical Specification (hereinafter “WFA SDI document”) [n.6]
- b. An AFC System described in the item a. above that follows mandatory protocol requirements specified in WINNF-TS-3007 [n.3].
- c. An AFC System described in the item b. above that implements Channel-Based Query for NRU1 feature as specified in WINNF-TS-3007 [n.3].

Above AFC Systems shall run the necessary test cases specified in this document in the following scenarios:

- An AFC System that has not gone through the certification tests, is being launched.
- Changes in a Certified AFC System implementation that may impact functionality, interoperability, or performance
- One or more changes in a Certified AFC System implementation, where the changes could impact the Protocol and Functional Test Cases specified in this document.

4.3 Test Tools Required

The following modules and functionality shall be used for the conformance tests specified or referenced by this document:

Table 4.3-1: Test Tools Required

Modules	Functionality
AFC System UUT	Functionality to inject the following data: <ul style="list-style-type: none"> ▪ Certified FCC ID List [n.3] ▪ Disallowed Device List [n.3] ▪ List of designated geographic areas where Standard Power Device operations must be discontinued. ▪ Snapshot of the FCC ULS database
Test Harness	Functionality to send one or more Test Vector request messages to the AFC System UUT
	Functionality to receive and log response messages from the AFC System UUT.
	Functionality to validate the received response messages by using Test Vector response messages corresponding to the Test Vector request messages sent to the AFC System UUT.

4.4 Prerequisites

If the AFC System UUT supports only Frequency-Based Query or both Frequency-Based Query and Channel-Based Query for IEEE 802.11-based air interface, the AFC System UUT shall run the test cases specified in the WFA SUT document [n.1] using the Test Vectors [n.7] as described in Table 4.4-1.

Table 4.4-1: Minimum Mandatory Test Cases and Test Vector IDs

WFA SUT Test Case	WFA Test Vector ID range
AFCS.SRS	1
AFCS.URS	1-6
AFCS.SRSI	1
AFCS.FSP	7-12, 19-24, 31-36
AFCS.IBP	3-4, 7-8
AFCS.SIP	1-15

For an AFC System UUT not supporting Frequency-Based Query or Channel-Based Query for IEEE 802.11 based interface and supporting NRU1 feature the AFC System UUT shall run the tests specified in section 5.2

4.5 Assumptions in Test Vectors

Some requirements specified in WINNF-TS-1014 could lead to different implementations among different AFC System Operators. For the purpose of developing Test Vectors accompanied with this technical specification, the following implementations are considered:

Table 4.5-1: Implementation Assumptions for Test Vector Development

Requirement ID	Requirement Description	Assumptions in Test Vectors
R2-AIP-02	Fixed service receiver noise level	<ul style="list-style-type: none"> Technique a is used
R2-AIP-07	Fixed service receiver and diversity receiver antenna RPE	<ul style="list-style-type: none"> Default RPE is used.
R2-AIP-10	Feeder loss	<ul style="list-style-type: none"> 3 dB feeder loss is used for “Unknown Radio”.
R2-AIP-24	Use of National Land Cover Database (NLCD)	<ul style="list-style-type: none"> Versions of NLCD data as suggested by the footnote are used
R2-AIP-26	Building entry loss	<ul style="list-style-type: none"> 20.5 dB Building Entry Loss is applied to Standard Power Devices located indoors.
R2-AIP-27	ITM parameters	<ul style="list-style-type: none"> No site-specific modification to the ITM reliability and confidence factors is applied
R2-AIP-34	WINNER II	<ul style="list-style-type: none"> No site-specific information is used No modification is applied
R2-AIP-35	Confidence factor for P.2108-0	<ul style="list-style-type: none"> No site-specific modification to the P.2108-0 confidence factor is applied

5 Extensions to Test Cases and Test Vectors

This section specifies extension test cases and associated vectors required for compliance with WINNF-TS-1014 [n.2] which are not defined in the Wi-Fi Alliance specifications [n.1][n.7] or are required for optional features specified by the WinnForum are captured in this section.

5.1 Extensions to Definition of Test Case and Test Vector ID

Each test vector referenced by this document has an associated test case ID. A test case ID shall be defined in the following format:

Test Case ID: AFCS.{*TestFunction*}_{*FeatureName*}

Test Vector ID: AFCS.{*TestFunction*}_{*FeatureName*}.{*SubTestNumber*}

Definition of *TestFunction* follows the WFA SUT document.

FeatureName indicates an ID specific to an optional feature defined by the WinnForum. In this version of this technical specification, the IDs listed in Table 5.1-1 are defined.

Table 5.1-1: *FeatureName* IDs

Features	<i>FeatureName</i> IDs
NRU1 feature	NRU1

SubTestNumber indicates an ID of sub-test for a particular scenario in the test case.

5.2 Test Cases and Test Vectors for NRU1 Feature (Conditional)

This section specifies test cases for compliance with NRU1 feature. The AFC System Operator that wants its AFC System UUT to employ Channel-Based Query using NRU1 feature as specified in WINNF-TS-1014 [n.2] and WINNF-TS-3007 shall run the test cases specified in this section.

For the purpose of testing of NRU1 feature, the necessary test cases and Test Vectors are designed on top of the WFA SUT document and they are defined as shown in Table 5.2-1.

Table 5.2-1: Test Cases and Test Vectors for NRU1 Feature

Test Case IDs	Range of <i>SubTestNumber</i>	Descriptions
AFCS.SRS_NRU1	1001	Testing for Successful Registration using NRU1 feature
AFCS.URS_NRU1	1001-1006	Testing for Unsuccessful Registration using NRU1 feature
AFCS.SRSI_NRU1	1001	Testing for Storage of Registered Information using NRU1 feature
AFCS.FSP_NRU1	1007-1012, 1019-1024, 1031-1036	Testing for Fixed Service Protection using NRU1 feature
AFCS.IBP_NRU1	1003-1004, 1007-1008	Testing for International Border Protection using NRU1 feature
AFCS.SIP_NRU1	1001-1015	Testing for Special Incumbent Protection using NRU1 feature

Annex A (Informative): Document History

Document History		
V1.0.0)	23 March 2023	Initial Version