



6 GHz Supplementary Data Repository Technical Specification

Document WINNF-TS-5008

Version V.1.0.0

31 May 2022



TERMS, CONDITIONS & NOTICES

This document has been prepared by 6 GHz AFC Functional Specification Working Group of the 6 GHz Committee to assist The Software Defined Radio Forum Inc. (or its successors or assigns, hereafter “the Forum”). It may be amended or withdrawn at a later time and it is not binding on any member of the Forum or of the 6 GHz Committee.

Contributors to this document that have submitted copyrighted materials (the Submission) to the Forum for use in this document retain copyright ownership of their original work, while at the same time granting the Forum a non-exclusive, irrevocable, worldwide, perpetual, royalty-free license under the Submitter’s copyrights in the Submission to reproduce, distribute, publish, display, perform, and create derivative works of the Submission based on that original work for the purpose of developing this document under the Forum's own copyright.

Permission is granted to the Forum’s participants to copy any portion of this document for legitimate purposes of the Forum. Copying for monetary gain or for other non-Forum related purposes is prohibited.

THIS DOCUMENT IS BEING OFFERED WITHOUT ANY WARRANTY WHATSOEVER, AND IN PARTICULAR, ANY WARRANTY OF NON-INFRINGEMENT IS EXPRESSLY DISCLAIMED. ANY USE OF THIS SPECIFICATION SHALL BE MADE ENTIRELY AT THE IMPLEMENTER'S OWN RISK, AND NEITHER THE FORUM, NOR ANY OF ITS MEMBERS OR SUBMITTERS, SHALL HAVE ANY LIABILITY WHATSOEVER TO ANY IMPLEMENTER OR THIRD PARTY FOR ANY DAMAGES OF ANY NATURE WHATSOEVER, DIRECTLY OR INDIRECTLY, ARISING FROM THE USE OF THIS DOCUMENT.

Recipients of this document are requested to submit, with their comments, notification of any relevant patent claims or other intellectual property rights of which they may be aware that might be infringed by any implementation of the specification set forth in this document, and to provide supporting documentation.

This document was developed following the Forum's policy on restricted or controlled information (Policy 009) to ensure that that the document can be shared openly with other member organizations around the world. Additional Information on this policy can be found here: http://www.wirelessinnovation.org/page/Policies_and_Procedures

Although this document contains no restricted or controlled information, the specific implementation of concepts contain herein may be controlled under the laws of the country of origin for that implementation. Readers are encouraged, therefore, to consult with a cognizant authority prior to any further development.

Wireless Innovation Forum™ and SDR Forum™ are trademarks of the Software Defined Radio Forum Inc.

Table of Contents

TERMS, CONDITIONS & NOTICES	i
1 Introduction and Scope	1
2 Keywords or Requirements Language	1
3 References	1
3.1 Normative references	1
4 Definitions and Abbreviations	2
5 Access, Creation, Modification and Use of Supplementary Data Repositories	2
5.1 Access to the Supplementary Data Repositories	2
5.2 Supplementary Data Repository Creation and Update	2
5.3 Use of the Supplementary Data Repositories	3
6 Descriptions of Supplementary Data Repositories	3
6.1 General	3
6.2 FCC Category B1 Antenna Models Repository	3
6.3 High Performance Antenna Models Repository	3
6.4 Indoor Unit Models Repository	3
6.5 FCC Fixed Service Channelization Repository	4
7 Repository Schema	4
7.1 General	4
7.2 Schema of the FCC Category B1 Antenna Models Repository	4
7.3 Schema of the High-Performance Antenna Models Repository	6
7.4 Schema of the Indoor Unit Models Repository	7
7.5 Schema of the FCC Fixed Service Channelization Repository	7
Annex A (Informative) Document History	8

Contributors

The following individuals made significant contributions to this document:

Group Chair: Navin Hathiramani (Nokia)

Other Member Representatives:

- CommScope: Peter Young
- Sony: Sho Furuichi

6 GHz Supplementary Data Repositories Technical Specification

1 Introduction and Scope

In order to address ULS data issues observed by WINNF-RC-1010 [n.2], WINNF-TS-1014 [n.1] defines the methods to determine the parameters of fixed service receivers required for their protection. As those methods require information that is not recorded in the ULS, a set of Supplementary Data Repositories is needed to assist the AFC Systems.

The scope of this specification is to define the access to, schema and use of different Supplementary Data Repositories which assist AFC Systems in more accurately defining the level of protection required for fixed service receivers.

This version of the specification includes requirements for the following Supplementary Data Repositories:

- 1) FCC Category B1 Antenna Model Listing
- 2) High Performance Antenna Model Listing
- 3) Indoor Radio Unit Listing
- 4) FCC Fixed Service Channelization Repository

2 Keywords or Requirements Language

The key words "required", "shall", "shall not", "should", "should not", "recommended", "may", and "optional" in this document are to be interpreted as described in RFC-2119 [n.3]. In addition, the key word "conditional" shall be interpreted to mean that the definition is an absolute requirement of this specification only if the stated condition is met.

3 References

3.1 Normative references

- [n.1] WINNF-TS-1014, "Functional Requirements for the U.S. 6 GHz Band under the Control of an AFC System", Wireless Innovation Forum
- [n.2] WINNF-RC-1010, "Recommendations for Addressing Blank, Uncollected, Erroneous, or Conflicting Database Elements for Incumbent Systems in the U.S. U-NII 5 & 7 Bands for the Purpose of Automated Frequency Coordination Systems", Wireless Innovation Forum

- [n.3] [RFC-2119](#), “Key words for use in RFCs to Indicate Requirement Levels”, March 1997.
- [n.4] 47 C.F.R. §101.115(b)(2) available at <https://www.ecfr.gov/current/title-47/chapter-I/subchapter-D/part-101#101.115>.
- [n.5] WINNF-6GHZ-0003-V0.0.1 6 GHz Supplementary Data Repository Policy
- [n.6] ITU Recommendation ITU-R F.699-8, “Reference radiation patterns for fixed wireless system antennas for use in coordination studies and interference assessment in the frequency range from 100 MHz to 86 GHz”, available at <https://www.itu.int/rec/R-REC-F.699/en>.
- [n.7] 47 C.F.R. §101.147 available at <https://www.ecfr.gov/current/title-47/section-101.147>

4 Definitions and Abbreviations

Any previously undefined terms and abbreviations first used in the current version of this document are defined below. All previously defined terms and abbreviations are available at [n.1].

5 Access, Creation, Modification and Use of Supplementary Data Repositories

This section specifies the following items concerning the Supplementary Data Repositories:

- Access rights
- Record creation and update
- Use of the Repositories

5.1 Access to the Supplementary Data Repositories

The Supplementary Data Repositories shall have no read access control so that the records in the Supplementary Data Repositories are available to general public.

5.2 Supplementary Data Repository Creation and Update

Entities, members or individuals that desire to create a new Supplementary Data Repository or modify an existing Supplementary Data Repository shall follow WINNF-6GHZ-0003 [n.5].

5.3 Use of the Supplementary Data Repositories

The use of any data recorded in the Supplementary Data Repositories, specified within this document, by AFC Systems is subject to WINNF-TS-1014 [n.1]. Supplementary Data Repositories will be stored at: <https://github.com/Wireless-Innovation-Forum/6-GHz-AFC>.

6 Descriptions of Supplementary Data Repositories

6.1 General

This section provides the information about the Supplementary Data Repositories.

6.2 FCC Category B1 Antenna Models Repository

The FCC Category B1 Antenna Models Repository is designed to be used by the AFC System to determine whether an antenna model provided in the FCC ULS is a Category B1 Antenna as defined by the FCC Rules [n.4] for the purpose of determining the radiation pattern envelope according to WINNF-TS-1014 [n.1].

Category B1 Antennas are generally older antennas and are not expected to change much over time based on current usage trends. Regardless, a repository is required to allow for changes, and to provide as complete a list as possible.

6.3 High Performance Antenna Models Repository

The High Performance Antenna Models Repository is designed to be used by the AFC System to determine whether an antenna model provided in the FCC ULS is a High Performance Antenna as defined by the FCC Rules [n.4] for the purpose of determining the radiation pattern envelope according to WINNF-TS-1014 [n.1].

Antennas that are considered high performance not only meet FCC Category A, they also are comparable to the patterns provided by the formulas in ITU-R F.699-8[n.6]. This repository list is expected to change over time based on current usage trends. This repository is required to allow for changes and to provide as complete a list as possible.

6.4 Indoor Unit Models Repository

The Indoor Unit Models Repository is designed to be used by the AFC System to determine whether a radio model provided in the FCC ULS is an indoor unit when employing fixed service receiver feeder loss according to WINNF-TS-1014 [n.1]. .

Indoor unit radios were used exclusively approximately 10 years ago. Since then, outdoor unit radios that have low or no loss between the radio and antenna have become popular. Indoor unit radios, however continue to be developed and sold, so this repository list is expected to change over time based on current usage trends. This repository is required to allow for changes and to provide as complete a list as possible.

6.5 FCC Fixed Service Channelization Repository

The FCC Fixed Service Channelization Repository is designed to be used by the AFC System to determine the bandwidth that a fixed service receiver is receiving in the event that it cannot be determined from the FCC ULS record according to WINNF-TS-1014 [n.1].

FCC Rule Part 101.147(i) and 101.147(k) provides a listing of frequencies by authorized bandwidth. The assigned frequency in the FCC ULS for a record may be used to look up the authorized bandwidth. As a convenience, this repository provides a listing of the FCC authorized frequencies by bandwidth and is not expected to change significantly over time.

7 Repository Schema

7.1 General

The Repository is provided in CSV format.

The first row of the CSV file for each Repository shall contain the Column Names. Each row in the CSV file shall have columns with header values defined in the following table. R/O/C defines whether the value of a column of a CSV file must be fulfilled (Required), must be fulfilled when the specified condition is met (Conditional), or may be fulfilled (Optional).

7.2 Schema of the FCC Category B1 Antenna Models Repository

Table 1: Schema of the FCC Category B1 Antenna Models Repository

Column Name	R/O/C	Column Information
<i>manufacturerNormalized</i>	Required	This field is the normalized manufacturer name for the antenna listed in the FCC ULS. This field does not need to match the FCC ULS manufacturer.
<i>antennaModelPrefix</i>	Required	This field provides the normalized antenna model prefix. Any antenna model in the FCC ULS, when converted to upper case and stripped of any characters that are not alpha-numeric (A-Z, 0-9), that begins with this string shall be considered to be an FCC Category B1 antenna.
<i>Notes</i>	Optional	This optional field may indicate various things for human consumption, including the source of the data and/or the contributor.

7.3 Schema of the High-Performance Antenna Models Repository

Table 2: Schema of the High-Performance Antenna Models Repository

Column Name	R/O/C	Column Information
<i>manufacturerNormalized</i>	Required	This field is the normalized manufacturer name for the antenna listed in the FCC ULS. This field does not need to match the FCC ULS manufacturer.
<i>antennaModelPrefix</i>	Required	This field provides the normalized antenna model prefix. Any antenna model in the FCC ULS, when converted to upper case and stripped of any characters that are not alpha-numeric (A-Z, 0-9), that begins with this string shall be a high-performance antenna that meets both the FCC Category A and are comparable to the patterns provided by the formulas in ITU-R F.699-8 [n.6].
<i>Notes</i>	Optional	This optional field may indicate various things for human consumption, including the source of the data and/or the contributor.

7.4 Schema of the Indoor Unit Models Repository

Table 3: Schema of the Indoor Unit Models Repository

Column Name	R/O/C	Column Information
<i>manufacturerNormalized</i>	Required	This field is the normalized manufacturer name for the radio listed in the FCC ULS. This field does not need to match the FCC ULS manufacturer.
<i>radioModelPrefix</i>	Required	This field provides the normalized radio model prefix. Any radio model in the FCC ULS, when converted to upper case and stripped of any characters that are not alpha-numeric (A-Z, 0-9), that begins with this string shall be considered an indoor radio unit.
<i>Notes</i>	Optional	This optional field may indicate various things for human consumption, including the source of the data and/or the contributor.

7.5 Schema of the FCC Fixed Service Channelization Repository

Table 4: Schema of the FCC Fixed Service Channelization Repository

Column Name	R/O/C	Column Information
<i>channelFrequency</i>	Required	This field is the center frequency in MHz of the channel listed in section 101.147 (i) and (k) of the FCC Rules [n.7].
<i>channelBandwidth</i>	Required	This field provides the maximum bandwidth based on the FCC Rules for the center frequency in MHz [n.7].
<i>Notes</i>	Optional	This optional field may indicate various things for human consumption, including the source of the data and/or the contributor.

Annex A (Informative) Document History

Document history		
V1.0.0	31 May2022	Initial Version